

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Hazardous Product Regulation

**SDS EXEMPTION NOTICE:**

The battery powered products, and the batteries they contain, covered in this document are exempt articles and are not subject to the OSHA Hazard Communication Standard requirement. This sheet is provided as a service to our customers.

Safety Data Sheets (SDS) are a sub-requirement of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard, 29 CFR 1910.1200. This Hazard Communication Standard does not apply to various subcategories including anything defined by OSHA as an "article." OSHA has defined "article" as a manufactured item other than a fluid or particle; (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g. minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.

Because all of our battery powered products and the batteries they contain are defined as "articles", they are exempt from the requirements of the Hazard Communication Standard; hence an OSHA SDS in accordance with the Global Harmonized System (GHS) is not required.

---

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

---

**PRODUCT NAME:** SOL Venture Water Bottle Solar Lantern**HMIS Hazard Rating**

Health	Not Applicable
Flamability	Not Applicable
Reactivity	Not Applicable
Personal Protection	Not Applicable

**SYNONYMS:**

<u>Item Number</u>	<u>Item Name</u>
0140-1304	SOL Solar Water Bottle Lantern

**SDS Date:** March 26, 2021**SDS Revision No.:** 0**USE:** Drinking water storage bottle with built-in, battery-powered lantern.**MANUFACTURER:** Adventure Ready Brands**ADDRESS:** 944 Industrial Park Rd  
Littleton, NH 03561**INFORMATION CALLS:** 800-258-4696**E-Mail:** cs@adventurereadybrands.com**FAX PHONE:** 603-444-6735**EMERGENCY PHONE:** Spills:(800) 354-2382 (Veolia)

Medical Information:(800) 258-4696 (Adventure Ready Brands)

---

**SECTION 2: HAZARDS IDENTIFICATION**

---

**CAUTION: LITHIUM BATTERIES INSIDE.** This equipment contains one (1) Secondary (Rechargeable) Lithium Ion battery. The battery is sealed in the equipment and cannot be removed or replaced unless the equipment is damaged or abused. Do not damage or mishandle the packages. If package is damaged, flammability hazard may exist; equipment must be quarantined, inspected, and repacked.

**CAUTION:** Batteries inside the equipment can explode or leak if heated, disassembled, shorted, recharged incorrectly, exposed to fire or high temperature or reinstalled incorrectly. Do not remove batteries from equipment. Do not carry batteries loose in your pocket or purse. Keep this equipment and the batteries contained inside away from children. If swallowed, consult a physician at once. Under certain misuse conditions and by abusively opening the battery, exposed lithium can react with water or moisture in the air causing potential thermal burns or fire.

**Physical Appearance:** The equipment contains a small rectangular shaped or cylindrical shaped battery pack. The battery and its contents present the hazard. The battery is sealed inside the equipment and can only be removed if the equipment is damaged or abused. The battery is not replaceable and should never be removed from the equipment.

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Hazardous Product Regulation

**Battery Description:**

0140-1304 SOL Solar Water Bottle Lantern

Battery Model: 652433

Type: Lithium Ion Battery      Rated Capacity: 480 mAh      Nominal Voltage: 3.7 V

Watt-hours (Wh) = 480 mAh x (1 A/1000 mA) x 3.7 V = 1.78 Wh

Equivalent Lithium Content = 480 mAh x (1 A/1000 mA) x 0.3 gram/Ah = 0.14 gram

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 4: FIRST AID MEASURES**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 5: FIRE-FIGHTING MEASURES**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 7: HANDLING AND STORAGE**

**WARNING:**

Do not look directly into LED for more than a few seconds. Do not allow children to use LED light unless under supervision of an adult.

**CAUTION:**

Do not immerse lantern in water. Not dishwasher safe. Wash bottle thoroughly by hand with warm water and soap before using for the first time.

**CAUTION: CONTAINS RECHARGEABLE LITHIUM-ION BATTERY.**

Do not crush, puncture, disassemble, heat above 120°F (50°C), or put in fire. Do not short circuit or modify. Misuse can cause fire, explosion, and personal injury.

Battery is NOT replaceable. Dispose of or recycle properly in accordance with local regulations.

**USE ONLY AS DIRECTED. REFER TO THE INSTRUCTIONS, WARNINGS, AND PRECAUTIONS ON THE PACKAGE AND/OR IN THE USER'S MANUAL.**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 10: STABILITY AND REACTIVITY**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

---

**SECTION 12: ECOLOGICAL INFORMATION**

REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Hazardous Product Regulation

**SECTION 13: DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL METHOD:** Follow local, state, and federal regulations covering the recycling and/or disposal of electronic devices containing lithium-ion batteries.

**REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.**

**SECTION 14: TRANSPORT INFORMATION**
**SHIPPING INFORMATION:**
**Marine Pollutant: \*\*See Below**

Regulation	UN No.	Proper Shipping Name	Class	Package Group	Additional Information
U.S. Department of Transportation (DOT)	UN3481	Lithium Ion Batteries Contained in Equipment	9	--	Excluded from requirements. See Note 1.
Canadian Transportation of Dangerous Goods (TDG)	UN3481	Lithium Ion Batteries Contained in Equipment	9	--	Excluded from requirements. See Note 2.
International Maritime Dangerous Goods (IMDG)	UN3481	Lithium Ion Batteries Contained in Equipment	9	--	Excluded from requirements. See Note 3.
International Air Transport Assoc. (IATA)	UN3481	Lithium Ion Batteries Contained in Equipment	9	--	Excluded from requirements. See Note 4.

Note 1. When packaged and labeled in compliance with DOT Hazardous Material Regulation (HMR) 49 CFR 173.185(c) (< 20 Watt-hours for lithium ion cell; < 100 Watt-hours for lithium ion battery), this item is not subject to other requirements of the regulations. This exception applies to small lithium cells or batteries.

Note 2. When packaged and labeled in compliance with Canadian TDG Special Provision 34 (< 20 Watt-hours per cell; < 100 Watt-hours per battery), this item is not subject to other requirements of the regulations.

Note 3. When packaged and labeled in compliance with IMDG Code Special Provision 188 (< 20 Watt-hours per cell; < 100 Watt-hours per battery), this item is not subject to other requirements of the regulations.

Note 4. When packaged and labeled in compliance with IATA Dangerous Goods Regulation (DGR) Packing Instruction (PI) 967, Section II (< 20 Watt-hours per cell; < 100 Watt-hours per battery), this item is not subject to other requirements of the regulations.

Your selected ground, air, rail, or sea carrier may have additional documentation or pre-authorization requirements. Check with your selected carrier before shipping.

Each lithium cell or battery model contained in the equipment covered by this SDS has passed the applicable tests specified in UN Manual of Tests and Criteria, Part III, Subsection 38.3. See the UN 38.3 Test Summary (TS) attached.

The transportation regulations are cited according to international regulations and in the form applicable to the United States and Canada. Possible national deviations in other countries are not considered.

**\*\*REFER TO BATTERY MANUFACTURER'S MSDS, SDS, AND/OR PRODUCT INFORMATION SHEET ATTACHED.**

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Hazardous Product Regulation

---

**SECTION 15: REGULATORY INFORMATION**

---

**U.S. FEDERAL REGULATIONS:**

This product is a manufactured article and, as such, does not require an SDS per the OSHA) Hazard Communication Standard, 29 CFR 1910.1200

**U.S. STATE REGULATIONS:**

**California Proposition 65 Warning:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**States Right to Know:** Not applicable to articles.

**CANADIAN REGULATIONS:**

This product is a manufactured article and, as such, does not require an SDS per the Hazardous Product Act and the Hazardous Product Regulation (HPR).

**EU REGULATIONS:**

This product is a manufactured article and, as such, does not require an SDS per Regulation (EC) No. 1272/2008 (GHS).

Directive 2011/65/EU on The Restriction of Hazardous Substances in Electrical and Electronic Equipment (RoHS) and its amendment Directive (EU) 2015/863.

Directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE).

Directive 2014/30/EU on Electromagnetic Compatibility (EMC).

---

**SECTION 16: OTHER INFORMATION**

---

**REVISED SECTIONS OR REASON FOR REVISION:**

ORIGIN DATE: MARCH 26, 2021

**DISCLAIMER:** The information provided herein was believed to be accurate, to the best knowledge of Adventure Ready Brands, at the time of preparation from a compilation of sources believed to be reliable and is furnished without warranty, expressed or implied. It is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling, storage and use of this product and to determine the suitability of the product for its intended use. This data sheet relates only to the specific product listed and does not relate to use in combination or in any process with other materials.



Report No. :CESMSDS201218002



## Material Safety Data Sheet

### 材料安全数据表

Name of Sample: Li-ion Battery  
产品名称 : 锂离子电池

Model Specification:  
产品型号 : 652433

Client: HUAYOU NEW ENERGY(DONGGUAN)CO., LTD  
委托单位 : 华友新能源(东莞)有限公司

先进储能材料国家工程研究中心有限责任公司检测中心  
Test Center of National Engineering Research Center of Advanced Energy Storage Materials Co., Ltd.



# 说 明

## Marking

1. 报告无“报告专用章”无效。

The test report is invalid without “Special seal for report”.

2. 报告无批准人、审核人和编制人签名无效。

The test report is invalid without the signatures of Approver, Reviewer and writer.

3. 报告涂改无效。

The test report is invalid if altered.

4. 对检测报告若有异议，应于收到报告之日起十五天内向检测单位提出。

Objections to the test report must be submitted to Test Center within 15 days.

5. 报告仅对送检样品负责。

The test report is Valid for the tested samples only.

6. 未经实验室书面批准，不得部分复制本报告书。

The partial replica of this report is prohibited without the written approval of CES.

检测单位地址：广东省深圳市宝安区新安街道宝石路29号蓝坤集团大厦B栋一楼B102

Lab Address: No.B102, 1/F., Lankun Group Building B, No.29, Baoshi Road, Xin'an Street,  
Bao'an District, Shenzhen, Guangdong, China

电话(TEL): 86-755-22678310

传真(FAX): 0755-22678299

邮政编码(Post Code): 518101

网址(Website): [www.cescert.com](http://www.cescert.com)

E-mail: [service@cescert.com](mailto:service@cescert.com)



# Material Safety Data Sheet

## 材料安全数据表

Section 1—Chemical Product and Company Identification		
化学品及企业标识		
Product Name: 产品名称:	Li-ion Battery 锂离子电池	
Type/Mode: 样品型号:	652433 3.7V 480mAh 1.78Wh	
Commissioned by: 委托单位:	HUAYOU NEW ENERGY(DONGGUAN)CO., LTD 华友新能源(东莞)有限公司	
Commissioner address: 委托单位地址:	Building A, Dongzhuo Industrial, No.32 Xiapu Second Road, Ailingkan Village, Dalingshan Town, Dongguan City, Guangdong Province, China. 东莞市大岭山镇矮岭冚村下埔二路 32 号东卓科技园 A 栋	
Manufacturer: 生产单位:	HUAYOU NEW ENERGY(DONGGUAN)CO., LTD 华友新能源(东莞)有限公司	
Inspection according to: 鉴定依据:	EEC Directive 93/112/EC UN "Recommendations on the TRANSPORT OF DANGEROUS GOODS" 联合国《关于危险品货物运输的建议书》	
Emergency telephone call: 应急电话:	+86-15889583766	
Receiving Date: 接样日期:	2020-12-18	Date of issue: 签发日期:


 Approved by: *Liaoyuping*

Reviewed by:

*chenqizheng*

Written by:

*Zhonghuadong*

Section 2. Composition/information on Ingredient 成分/组成信息			
Chemical Name 化学品名称	Chemical Formula 化学式	CAS No. CAS 号	Composition 成份 (in % by weight) (重量百分比)
Lithium Cobalt Oxide 钴酸锂	LiCoO <sub>2</sub>	12190-79-3	24-26
Lithium manganese oxide 锰酸锂	LiMn <sub>2</sub> O <sub>4</sub>	12057-17-9	16-18
Graphite 石墨	C	7782-42-5	18-20
Lithium hexafluorophosphate 六氟磷酸锂	LiPF <sub>6</sub>	21324-40-3	16-18
Ethylene carbonate 碳酸乙烯酯	C <sub>3</sub> H <sub>4</sub> O <sub>3</sub>	96-49-1	0-1
Copper 铜	Cu	7440-50-8	8-9
Aluminum 铝	Al	7429-90-5	6-7
Propylene carbonate 碳酸丙烯酯	C <sub>4</sub> H <sub>6</sub> O <sub>3</sub>	108-32-7	0-1

Section 3. Hazards Identification 危险性概述	
Explosive risk 爆炸危险性	This article does not belong to the explosion dangerous goods 该物品不属于爆炸危险品
Flammable risk 易燃危险性	This article does not belong to the flammable material 该物品不属于易燃危险品
Oxidation risk 氧化危险性	This article does not belong to the oxidation of dangerous goods 该物品不属于氧化危险品
Toxic risk 毒害危险性	This article does not belong to the toxic dangerous goods 该物品不属于毒害危险品
Radioactive risk 放射危险性	This article does not belong to the radiation of dangerous goods 该物品不属于放射危险品
Mordant risk 腐蚀危险性	This article does not belong to the corrosion of dangerous goods 该物品不属于腐蚀危险品
Other risk 其他危险性	This article is the Lithium ion battery. 该物品为锂离子电池。

### Section 4. First aid measures 急救措施

**Eye:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**眼睛:** 万一接触, 立即用大量的清水冲洗至少 15 分钟, 翻起上下眼睑, 直到化学的残留物消失为止, 迅速就医。



**Skin:** Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.

皮肤：万一接触，用大量水冲洗至少 15 分钟，同时除去污染的衣物和鞋子，迅速就医。

**Inhalation:** Remove from exposure and move to fresh air immediately. Use oxygen if available.

吸入：立即从暴露处移至空气清新处，如果呼吸困难给予输氧，立即就医。

**Ingestion:** Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious.

Call a physician

食入：饮用两杯牛奶或水。如果当事人仍然清晰可以采取催吐的方法，并且立即就医。

## Section 5. Fire-fighting measures

### 消防措施

**Flash Point:** N/A.

燃点：不适用

**Auto-Ignition Temperature:** N/A.

自燃温度：不适用

**Extinguishing Media:** Water, CO<sub>2</sub>.

灭火介质：大量水（降温），二氧化碳

**Special Fire-Fighting Procedures:** Self-contained breathing apparatus.

特殊灭火程序：自给式呼吸器

**Unusual Fire and Explosion Hazards:** Cell may vent when subjected to excessive heat-exposing battery contents.

异常火灾或爆炸：当电芯暴露于过热的环境中时，安全阀可能会打开。

**Hazardous Combustion Products:** Carbon monoxide, carbon dioxide, lithium oxide fumes.

燃烧产生的危险物品：一氧化碳，二氧化碳，锂氧化物烟气

## Section 6. Accidental release measures

### 泄露应急处理

Steps to be taken in case Material is Released or Spilled If the battery material is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. Wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can. The preferred response is to leave the area and allow the battery to cool and vapors to dissipate. Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerate.

为防止电池材料泄露或释放采取的措施如果电池内部材料泄露，试验人员应立刻撤离试验区直到烟气消散。将通风设备打开吹散危险性气体。用抹布擦净试验区，清除溢出的液体，将泄露电池放进塑料袋中，然后放进钢制容器。避免皮肤和眼睛接触或吸入有害气体。

**Waste Disposal Method:** It is recommended to discharge the battery to the end, to use up the metal lithium inside the battery, and to bury the discharged battery in soil..



**废弃物处置方法：** 建议将电池完全放电，消耗电池内部的锂金属，并且深埋于土壤中。

## Section 7. Handling and storage

### 操作处置和储存

The battery should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

禁止打开、毁坏或焚烧电池，因为电池有可能在这些处理过程中发生爆炸、破裂或泄露等事故。禁止将电池短路、过充、强制放电或扔入火中。禁止挤压刺穿电池或将电池浸入溶液中。

Precautions to be taken in handling and storing Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

操作处置和储存中的防范措施禁止物理或电滥用，禁止高温储存，最好将电池储存在阴凉、干燥、通风及温度变化较小的环境中。禁止将电池接触加热设备或将电池直接暴露与阳光中。

Other Precautions The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity

其他要注意的防范措施拆解、挤压、直接放入火中或高温条件下，电池可能发生爆炸和燃烧。禁止短接或将电池正负极错误的安装在设备中。

## Section 8. Exposure controls/personal protection

### 接触控制/个人防护

**Respiratory Protection** In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use.

呼吸防护 当电池排气阀打开时，应尽量使通风设备开至最大，避免将打开排气阀的电芯局限在某一狭窄空间内。正常操作条件下，呼吸保护是不必要的。

**Ventilation** Not necessary under conditions of normal use.

通风条件 正常使用条件下不必考虑。

**Protective Gloves** Not necessary under conditions of normal use.

防护手套 正常使用条件下不必考虑。

**Other Protective Clothing or Equipment** Not necessary under conditions of normal use.

其他防护服装或设备 正常使用条件下不必考虑。

**Personal Protection is recommended for venting battery** Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields.

电池开阀试验时应做好个人防护呼吸防护，防护手套，防护服装和有护边的安全玻璃罩都是要准备的。

## Section 9. Physical and chemical properties



## 物理和化学特性

**Appearance:** Prismatic

外形: 棱柱形

**Odour:** If leaking, smells of medical ether

气味: 泄漏时, 有刺激性气味。

**pH:** Not applicable as supplied.

酸碱度: 不适用

**Flash Point:** Not applicable unless individual components exposed.

闪点: 针对单个组分暴露情况, 其他不适用。

**Flammability:** Not applicable unless individual components exposed.

易燃度: 针对单个组分暴露情况, 其他不适用。

**Relative density:** Not applicable unless individual components exposed.

相对密度: 针对单个组分暴露情况, 其他不适用。

**Solubility (water):** Not applicable unless individual components exposed

溶解性 (水溶性): 针对单个组分暴露情况, 其他不适用。

**Solubility (other):** Not applicable unless individual components exposed.

溶解性 (其他): 针对单个组分暴露情况, 其他不适用

## Section 10. Stability and reactivity

### 稳定性和反应活性

**Stability:** Product is stable under conditions described in Section 7.

稳定性: 产品在第 7 节所述的条件下稳定。

**Conditions to Avoid :** Heat above 70°C or incinerate. Deform. Mutilate. Crush. Disassemble.

Overcharge. Short circuit. Expose over a long period to humid conditions.

应避免的条件: 加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路, 长时间暴露在潮湿的条件下。

**Materials to avoid:** Oxidising agents, alkalis, water.

应避免的材料: 氧化剂, 碱, 水。

**Hazardous Decomposition Products :** Toxic Fumes, and may form peroxides.

危险分解物: 有毒烟雾, 并可能形成过氧化物。

**Hazardous Polymerization :** N/A.

聚合危害: 不适用

If leaked, forbidden to contact with strong oxidizers, mineral acids, strong alkalies, halogenated hydrocarbons.

如果发生泄露, 避免与强氧化剂, 无机酸, 强碱, 卤代烃接触。

## Section 11. Toxicological information

### 毒理学资料

**Signs & symptoms:** None, unless battery ruptures.

标志及症状: 无, 除非电池破裂。

In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin.

内部物质暴露的情况下, 蒸汽烟雾可能对眼睛和皮肤的刺激性。



**Inhalation:** Lung irritant.

吸入：对肺有刺激性。

**Skin contact:** Skin irritant.

皮肤接触：对皮肤刺激性。

**Eye contact:** Eye irritant

眼睛接触：对眼睛有刺激性。

**Ingestion:** Poisoning if swallowed.

食入：吞下中毒。

Medical conditions generally aggravated by exposure: In the event of exposure to internal contents, moderate to server irritation, burning and dryness of the skin may occur, Target organs nerves, liver and kidneys.

下列情况下会危险人员身体健康：如果与电池内部材料直接接触，皮肤可能会出现干燥、灼烧等轻微或严重的刺激，并且损坏靶器官的神经，肝脏和肾脏。

## Section 12. Ecological information

### 生态学资料

**Mammalian effects:** None known at present.

对哺乳动物的影响：目前未知。

**Eco-toxicity:** None known at present.

生态毒性：目前未知。

**Bioaccumulation potential:** Slowly Bio-degradable

生物体内积累：慢慢地生物降解。

**Environmental fate:** None known environmental hazards at present.

环境危害：目前没有已知的环境危害。

## Section 13. Disposal consideration

### 废弃处置

Do not incinerate, or subject cells to temperature in excess of 70°C, Such abuse can result in loss of seal leakage, and/or cell explosion. Dispose of in accordance with appropriate local regulations.

禁止焚烧，或使电池温度超过70°C，这种滥用可导致泄漏和/或电池爆炸。应按照相应的地方性法规处理。

## Section 14. Transport information

### 运输信息

**Label for conveyance:** Lithium Battery Label, or Lithium Battery Class 9 Hazard Label, or Cargo Aircraft Only Label.

运输标签：锂电池标签，或锂电池九类危险品标签，或仅限货机标签

**UN Number:** UN3480 or UN3481

UN 编号：UN3480 或 UN3481

**Packaging Group:** Not Applicable

包装等级：不适用



**Marine pollutant:** No

海洋污染物: 无

**Proper Shipping name:** Lithium Ion Batteries(Including Lithium Polymer Batteries) , Lithium Ion Battery Packed With Equipment, Lithium Ion Battery Contained In Equipment

正确的装运名称: 锂离子电池(包括锂聚合物电池), 或锂离子电池与设备包装在一起, 或锂离子电池安装在设备中

**Transport information:** Lithium ion battery is of a type proved to meet the Requirements of each test in the UN MANUAL OF TESTS AND CRITERIA, Part III, sub-section 38.3.

The lithium-ion battery with a watt-hour rating not exceeding 100Wh or the cell with the watt-hour rating is not exceeding 20Wh, The lithium-ion battery according to Section II/Section IB of PACKING INSTRUCTION 965, or Section II of PACKING INSTRUCTION 966~967 of the IATA Dangerous Goods Regulations 62nd Edition may be transported.

The goods shall be complied with the requirements of special provision 188 of IMDG CODE (Amdt. 40-20) 2020, The goods to be transport as Non-restricted Good.

The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking. The materials and pack design shall be chosen so as to prevent the development of unintentional electrical conduction, corrosion of the terminals and ingress of moisture.

**运输信息:** 锂离子电池已通过联合国《试验和标准手册》第III部分 38.3 小节相应测试要求。

锂离子电池瓦时额定值不超过 100Wh 或者锂离子电芯瓦时额定值不超过 20Wh, 根据第 62 版 IATA DGR 手册 965 第 II 节/第 IB 节或 966~967 第 II 节的指令可以运输。

货物运输应遵守 IMDG CODE (Amdt. 40-20) 2020 版特殊规定 188 的要求, 该货物属于非限制货物。

包装应坚固足以避免在运输, 处理和堆放期间的机械损坏。选择合适的包装材料和包装设计, 要防止电池意外导电和端子腐蚀。

## Section 15 Regulation information

### 法规信息

#### Law information

法律信息

《Dangerous Goods Regulations》

《危险物品规则》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《对危险货物运输的有关规定的建议》

《International Maritime Dangerous Goods》

《国际海运危险货物规则》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《危险品安全运输技术指令》

《Classification and code of dangerous goods》

《危险货物分类和品名编号》

《Occupational Safety and Health Act》(OSHA)

《职业安全卫生法》

《Toxic Substance Control Act》(TSCA)

《有毒物质控制法》  
《Consumer Product Safety Act》(CPSA)  
《消费产品安全法》  
《Federal Environmental Pollution Control Act》(FEPCA)  
《联邦环境污染控制法》  
《The Oil Pollution Act》(OPA)  
《石油污染法案》  
《Superfund Amendments and Reauthorization Act TitleIII (302/311/312/313)》(SARA)  
《超级基金修正案和再授权法案III(302/311/312/313)》  
《Resource Conservation and Recovery Act》(RCRA)  
《资源保护及恢复法案》  
《Safety Drinking Water Act》(CWA)  
《安全饮用水法》  
《California Proposition 65》  
《加州 65 提案》  
《Code of Federal Regulations》(CFR)  
《美国联邦法规》  
In accordance with all Federal, State and local laws  
根据所有联邦、州和地方法律。

## Section 16 Other information

### 其他信息

The commissioner provides the composition information of batteries, and promises its integrity and accuracy. Users should read this file carefully, and use the batteries in correct method. Test Center of National Engineering Research Center of Advanced Energy Storage Materials Co., Ltd. doesn't assume responsibility for any damage or loss because of misuse of batteries.

该电池的成分信息由委托方提供并承诺其完整性和准确性。用户应仔细阅读此文件，并按照正确的方法使用电池，如因电池使用不当造成的损害或损失，先进储能材料国家工程研究中心有限责任公司检测中心（CES）不承担任何责任。

-- End of Report --



## UN38.3 Test Summary

## UN38.3 试验概要

<b>UN38.3 Report No.</b> UN38.3 报告编号	TCT201217B666				
<b>Applicant's name</b> 委托方名称	HUAYOU NEW ENERGY(DONGGUAN)CO., LTD 华友新能源(东莞)有限公司				
<b>Applicant's Address</b> 委托方地址	Building A, Dongzhuo Industrial, No.32 Xiapu Second Road, Ailingkan Village, Dalingshan Town, Dongguan City, Guangdong Province, China. 东莞市大岭山镇矮岭坳村下埔二路 32 号东卓科技园 A 栋				
<b>Manufacturer's name</b> 制造商名称	HUAYOU NEW ENERGY(DONGGUAN)CO., LTD 华友新能源(东莞)有限公司				
<b>Manufacturer's Address</b> 制造商地址	Building A, Dongzhuo Industrial, No.32 Xiapu Second Road, Ailingkan Village, Dalingshan Town, Dongguan City, Guangdong Province, China. 东莞市大岭山镇矮岭坳村下埔二路 32 号东卓科技园 A 栋				
<b>Manufacturer's Contact Telephone</b> 制造商联系电话	+86-769-8289 3259	<b>E-mail</b> 邮箱	rd@hyhy-battery.com	<b>Web</b> 网址	www.hyhy-battery.com
<b>Name of Sample</b> 样品名称	Li-ion Battery 锂离子电池		<b>Model</b> 型号	652433	
<b>Trade Mark</b> 商标	----		<b>Shape</b> 形状	Prismatic 棱柱形	
<b>Watt-hour</b> 瓦时	1.78Wh		<b>Sample Mass</b> 样品重量	10.2g	
<b>Description</b> 描述	Single Cell Lithium ion Battery 单芯锂离子电池		<b>Date of Test Report</b> 测试报告签发日期	2021. 02. 24	

### Test Standard 检测标准:

UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS Manual of Tests and Criteria" Seventh revised edition (ST/SG/AC.10/11/Rev.7).

联合国《关于危险货物运输的建议书 试验和标准手册》第七修订版 (ST/SG/AC.10/11/Rev.7)。

Testing Laboratory 测试实验室:

Shenzhen TCT Testing Technology Co., Ltd. 深圳市通测检测技术有限公司

1B/F., Building 1, Yibaolai Industrial Park, Qiaotou, Fuyong, Baoan District, Shenzhen, Guangdong, China

中国广东省深圳市宝安区福永桥头亿宝来工业城 1 栋 1 层 B

400-6611-140

86-755-27673339


tom@tct-lab.com

<http://www.tct-lab.com>

Page 1 of 2

## Test item & Conclusion 测试项目和结论:

Test item 项目	Conclusion 结论	Test item 项目	Conclusion 结论
T.1. <input checked="" type="checkbox"/> Altitude simulation 高度模拟	Pass 合格	T.5. <input checked="" type="checkbox"/> External short circuit 外部短路	Pass 合格
T.2. <input checked="" type="checkbox"/> Thermal test 温度试验	Pass 合格	T.6. <input type="checkbox"/> Impact / <input checked="" type="checkbox"/> Crush 撞击/挤压	Pass 合格
T.3. <input checked="" type="checkbox"/> Vibration 振动	Pass 合格	T.7. <input checked="" type="checkbox"/> Overcharge 过充电	Pass 合格
T.4. <input checked="" type="checkbox"/> Shock 冲击	Pass 合格	T.8. <input checked="" type="checkbox"/> Forced discharge 强制放电	Pass 合格
38.3.3 (f)	/	38.3.3 (g)	/
Approved by 批准人	Tomsin 汤海森 Director 主任	<i>Tomsin 汤海森</i> Date of Issue 签发日期	2021.02.24



## Important Notice

### 注意事项

- The summary is invalid without the official stamp of TCT.  
本概要无 TCT 盖章无效。
- Nobody is allowed to photocopy or partly photocopy the summary without written permission of TCT.  
未经 TCT 书面同意，不得复制或部分地复制本概要。
- The summary is invalid without the signatures of approver.  
本概要无批准人签名无效。
- The summary is invalid when anything of following happens – illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.  
私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的概要无效。
- Objections to the summary must be submitted to TCT within 15 days.  
对本概要若有异议，应于收到报告之日起 15 天内向本公司提出。
- The summary is valid for the tested samples only.  
本概要仅对本次测试样品有效。
- The summary must be used in conjunction with the relevant test report.  
本摘要必须与相关的测试报告同时使用。

Testing Laboratory 测试实验室:

Shenzhen TCT Testing Technology Co., Ltd. 深圳市通测检测技术有限公司

1B/F., Building 1, Yibaolai Industrial Park, Qiaotou, Fuyong, Baoan District, Shenzhen, Guangdong, China

中国广东省深圳市宝安区福永桥头亿宝来工业城 1 栋 1 层 B

400-6611-140

86-755-27673339

tom@tct-lab.com

<http://www.tct-lab.com>

Page 2 of 2